

## Raimond II

RAIMOND PUTS



The Raimond lights: perfect spheres of mathematical ingredients punctuated by tiny LED lights. Designer Raimond Puts was not only intrigued by the shape of the geodesic dome, but also with the mystery of prime numbers. It's no coincidence that the dimension of all Raimond lights resemble a prime number. The result of mathematical perfection, that brings the starry night sky into your home. Compatible with our Wireless Wall Switch, for quick and easy dimming that gives you full control over the light output.

---

### *Detailing*



Two steel spheres, interconnected with LEDs, form a thin and openwork triangular mesh that transport the electric current.

---

### *Colours*

Stainless steel

# Raimond II / Raimond II, R43

## Dimensions

43cm | 16.9"



## Product

**WIDTH** 43cm | 16.9"  
**HEIGHT** 43cm | 16.9"  
**DEPTH** 43cm | 16.9"  
**DIAMETER** 43cm | 16.9"  
**WEIGHT NETTO** 1.5kg | 3.31lbs

## Packaging

**WIDTH** 52cm | 20.5"  
**HEIGHT** 60cm | 23.6"  
**CUBAGE** 0.16m<sup>3</sup> | 5.73ft<sup>3</sup>  
**LENGTH** 52cm | 20.5"  
**WEIGHT** 5kg | 11.02lbs

## Technical cULus / CE

### MATERIAL

Stainless Steel Sphere with PMMA lenses

### ENERGY LABEL

Energy Label B

### LIGHTSOURCE INCLUDED

Yes

### INPUT VOLTAGE

120-250

### MAX POWER CONSUMPTION

17W

### LAMPHOLDER

LED (Solid state)

### CABLE COLOUR

Transparent with tinned cores

### CANOPY

Pebble III Steel Coated, ABS

### CRI

92

### LIGHT OUTPUT

664 lm

### LIGHTSOURCE TYPE

LED

### NUMBER OF LIGHTSOURCES

92

### FREQUENCY

50/60

### DIMMABLE

Yes

### LIFETIME

50000 hours

### CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

### COLOUR TEMPERATURE

2523 K

### LIGHT DIRECTION

All directions



# Raimond II / Raimond II, R61

## Dimensions

61cm | 24"



## Product

**WIDTH** 61cm | 24"  
**HEIGHT** 61cm | 24"  
**DEPTH** 61cm | 24"  
**DIAMETER** 61cm | 24"  
**WEIGHT NETTO** 2kg | 4.4lbs

## Packaging

**WIDTH** 72cm | 28.3"  
**HEIGHT** 73cm | 28.7"  
**CUBAGE** 0.38m<sup>3</sup> | 13.36ft<sup>3</sup>  
**LENGTH** 72cm | 28.3"  
**WEIGHT** 8kg | 17.64lbs

## Technical cULus / CE

### MATERIAL

Stainless Steel Sphere with PMMA lenses

### ENERGY LABEL

Energy Label B

### LIGHTSOURCE INCLUDED

Yes

### INPUT VOLTAGE

120-250

### MAX POWER CONSUMPTION

26W

### LAMPHOLDER

LED (Solid state)

### CABLE COLOUR

Transparent with tinned cores

### CANOPY

Pebble III Steel Coated, ABS

### CRI

92

### LIGHT OUTPUT

1134 lm

### LIGHTSOURCE TYPE

LED

### NUMBER OF LIGHTSOURCES

162

### FREQUENCY

50/60

### DIMMABLE

Yes

### LIFETIME

50000 hours

### CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

### COLOUR TEMPERATURE

2523 K

### LIGHT DIRECTION


All directions



# Raimond II / Raimond II, R89

## Dimensions

89cm | 35"



## Product

**WIDTH** 89cm | 35"  
**HEIGHT** 89cm | 35"  
**DEPTH** 89cm | 35"  
**DIAMETER** 89cm | 35"  
**WEIGHT NETTO** 2.5kg | 5.51lbs

## Packaging

**WIDTH** 103cm | 40.6"  
**HEIGHT** 105cm | 41.3"  
**CUBAGE** 1.11m<sup>3</sup> | 39.34ft<sup>3</sup>  
**LENGTH** 103cm | 40.6"  
**WEIGHT** 14kg | 30.86lbs

## Technical cULus / CE

### MATERIAL

Stainless Steel Sphere with PMMA lenses

### ENERGY LABEL

Energy Label B

### LIGHTSOURCE INCLUDED

Yes

### INPUT VOLTAGE

120-250

### MAX POWER CONSUMPTION

40W

### LAMPHOLDER

LED (Solid state)

### CABLE COLOUR

Transparent with tinned cores

### CANOPY

Pebble III Steel Coated, ABS

### CRI

92

### LIGHT OUTPUT

1744 lm



### LIGHTSOURCE TYPE

LED

### NUMBER OF LIGHTSOURCES

252

### FREQUENCY

50/60

### DIMMABLE

Yes

### LIFETIME

50000 hours

### CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

### COLOUR TEMPERATURE

2523 K

### LIGHT DIRECTION

All directions

## Dimmer

Dims to dark using DALI DT6 and Push dimming.  
Supported via accessories: Casambi, 0-10V and Zigbee  
3.0 to integrate with Philips Hue, Apple HomeKit,  
Google Home or Amazon Alexa.

**DIMMER TYPE**

Dali, Push and Smart Dimming

Please contact our sales department for more  
information.

---