

FLOS

F3020031 Matte Black

Glo-Ball Table 1

Designed by Jasper Morrison, 1998




Halogen - 150W

Table/desk lamp providing diffused light. Diffuser consisting of an externally acid-etched, hand blown, flashed opaline glass and a die-cast threaded ring nut with alodine plating finish. Gray or black painted high-thickness steel base and stem and die-cast aluminum diffuser support. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607002278
Mounting	Table
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	150

Physical

Colour	Matte Black
Length (mm)	330
Cord length (mm)	1900
Net weight (kg)	6.7
Package height (mm)	0
Package width (mm)	0
Package length (mm)	0
Package volume (m3)	0.13
IP internal	20

Download

Mounting instructions [↓ PDF](#)

Spare Parts [↓ PDF](#)

Photometric Files

LDT / IES [↓ LDT](#)

Technical Drawings


2D [↓ ZIP](#)

3D [↓ ZIP](#)

[↓ ZIP](#) Bim



Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No

Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38




NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

Spare Parts



- | | | |
|-----|-----------------------------------|-----------|
| 01. | Glo-Ball 1 opal diffuser. Black | F3050031 |
| | Base | |
| 02. | New version lamp holder | RF2500200 |
| 03. | Dimmer 4-25W 220-240V Black | RF32262 |
| 04. | Kit of 5 white feed pads for base | RF3020100 |

DOWNLOAD



F3050031
Glo-Ball 1 opal diffuser. Black
Base



RF2500200
New version lamp holder



RF32262
Dimmer 4-25W 220-240V Black



RF3020100
Kit of 5 white feed pads for base