



Glo-Ball Suspension 1

Designed by Jasper Morrison, 1998



Halogen - 150W

Suspension lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass. Gloss white painted pressed steel diffuser support. 30% fiberglass reinforced injection-molded polyamide rose; pressed and galvanized ceiling fitting. Steel suspension cable.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT


\//hito

Main specifications

EAN	8059607002193		
Mounting	Suspension		
Environments	Indoor dry location		
Light Source Type	Bulb		
Lamp category	Halogen		
Lamp holders	E27		
Ilcos	HSGS		
Number of heads	1		
Power (W)	150		

Physical

Colour	wnite
Length (mm)	330
Cord length (mm)	2700
Canopy dimension (mm)	36
Canopy width (mm)	146
Net weight (kg)	2.55
Package height (mm)	0
Package width (mm)	0
Package length (mm)	0
Package volume (m3)	0.07
IP internal	20



Download

Mounting instructions	<u></u> PDF
Spare Parts	业 PDF

Photometric Files

LDT / IES



Technical Drawings

2D	⊥ ZIP
3D	₹ ZIP
a Bim	↓ ZIP

















https://professional.flos.com/en/global/product/glo-ball-suspension-1-f3005061/

F3005061

Schematic light drawing



Photometric

Lighting type	Total	
Light distribution	Roto symmetric	

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No





NOT INCLUDED

NOT INCLUDED


RF32288

RF32289

LED Lamp E27 15W 2700K T38

LED Lamp E27 15W 3000K T38

Spare Parts



01.	White rose assembly	RA3690209
02.	Glo-Ball 1 white diffuser	F3007061
03.	Glo-ball electrical wiring	F3006061
	assembly	
04.	New version lamp holder	RF2500200
05.	Kit of 5 or rings	RF05382

DOWNLOAD









RA3690209

White rose assembly

F3007061

Glo-Ball 1 white diffuser

F3006061

Glo-ball electrical wiring assembly

RF2500200

New version lamp holder

00000

Kit of 5 or rings